



MSA Cable Temporary Horizontal Lifeline




WE KNOW WHAT'S AT STAKE.

MSA Cable Temporary Horizontal Lifeline

Through intuitive and toolless installation features, MSA's Temporary Horizontal lifeline can help save time on the jobsite when it comes to setting up your lifelines.


Get to Work Faster

No tools required! The MSA temporary horizontal lifeline uses an integrated locking and tensioning mechanism on the handle—eliminating the need for nuts, bolts, and wrenches. This allows for a 75% faster installation compared to traditional cable systems.



Install 75% faster than traditional cable systems

Additional Features



Manageable Cable

Lightweight and flexible galvanized cable makes installation easy.



Time Savings

Ease of use compared to traditional cable systems can help save hours on installation over time.

[Check out our time savings calculator here →](#)




No Sweat Tensioning

Locking and tensioning mechanisms are on the same side—no need to travel back and forth during set up.

Confident Installation

Multiple visual indicators on the system let the user know the system is locked, tensioned, and ready for use:



Open

Closed

Two cable-lock indicators display red until the system is locked into place.




Untensioned

Tensioned

The tension indicator window goes from red to green once the system is tensioned—letting the user know it's ready for use.



MSA's patented bypass shuttles help users to maintain 100% tie-off while passing each other on the same line, increasing mobility without sacrificing safety.



Watch our
installation
video here:





Ordering Information

P/N	Description
10219297	MSA Temporary Cable Horizontal Lifeline for 2 Workers, 18.3m (60 ft), with bypass shuttles (Anchorage straps not included)

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice. MSA is a registered trademark of MSA Technology, LLC in the US, Europe, and other Countries. For all other trademarks visit <https://us.msasafety.com/Trademarks>.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit [MSAsafety.com/offices](https://www.msasafety.com/offices).

2000-004-EU / 08.2022

© MSA 2022

[MSAsafety.com](https://www.msasafety.com)